

70 Centimeters (420-450) MHz Band Plan

420.000 - 426.000	ATV Use with a 421.250 MHz Video Carrer & Control links,Experimental
426.000 - 432.000	
432.000 - 432.070	EME (Earth-Moon-Earth modes)
432.070 - 432.100	Weak Signal CW
432.100	70-CM SSB Calling Frequency
432.100 - 432.300	Mixed Mode & Weak Signal
432.300 - 432.400	Propagation Beacons
432.400 - 433.000	Mixed Mode & Weak Signal
433.000 - 435.000	Auxilliary / Repeater Links
435.000 - 438.000	Satellite Operations Only (Internationally)
438.000 - 444.000	ATV Use with a 439.250 MHz Video Carrer & Repeaters/Links
442.000 - 445.000	Repeater Inputs/Outputs & Local Options
442.000 & 447.000	Shared Non-Protected Repeater pair (SNP)
446.000	National Simplex Frequency
445.000 - 447.000	Shared by Auxilliary * Control Links, Repeaters & Simplex Option
447.000 - 450.000	Repeater Inputs & Outputs

Standard FM Repeaters

77 - Repeater Pairs, 25 KHz spacing 5 MHz split Low Output, High Input

441.1000	446.1000	443.1000	448.1000
441.1500	446.1500	443.1500	448.1500
441.2000	446.2000	443.2000	448.2000
441.2500	446.2500	443.2500	448.2500
441.3000	446.3000	443.3000	448.3000
441.3500	446.3500	443.3500	448.3500
441.4000	446.4000	443.4000	448.4000
441.5000	446.5000	443.4500	448.4500
441.5500	446.5500	443.5000	448.5000
441.6000	446.6000	443.5500	448.5500
441.6500	446.6500	443.6000	448.6000
441.7000	446.7000	443.6500	448.6500
441.7500	446.7500	443.7000	448.7000
441.8000	446.8000	443.7500	448.7500
441.8500	446.8500	443.8000	448.8000
441.9000	446.9000	443.8500	448.8500
441.9500	446.9500	443.9000	448.9000
442.0000	*447.0000*	443.9500	448.9500
442.0500	447.0500	444.0000	449.0000
442.1000	447.1000	444.0500	449.0500
442.1500	447.1500	444.1000	449.1000
442.2000	447.2000	444.1500	449.1500
442.2500	447.2500	444.2000	449.2000
442.3000	447.3000	444.2500	449.2500
442.3500	447.3500	444.3000	449.3000
442.4000	447.4000	444.3500	449.3500
442.4500	447.4500	444.4000	449.4000
442.5000	447.5000	444.4500	449.4500
442.5500	447.5500	444.5000	449.5000
442.6000	447.6000	444.5500	449.5500
442.6500	447.6500	444.6000	449.6000
442.7000	447.7000	444.6500	449.6500

442.7500	447.7500	444.7000	449.7000
442.8000	447.8000	444.7500	449.7500
442.8500	447.8500	444.8000	449.8000
442.9000	447.9000	444.8500	449.8500
442.9500	447.9500	444.9000	449.9000
443.0000	448.0000	444.9500	449.9500
443.0500	448.0500		

Standard FM Repeaters

76 - Repeater Pairs, 25 KHz spacing 5 MHz split Low Input, High Output

446.1250	441.1250	448.1250	443.1250
446.1750	441.1750	448.1750	443.1750
446.2250	441.2250	448.2250	443.2250
446.3250	441.3250	448.2750	443.2750
446.3750	441.3750	448.3250	443.3250
446.4250	441.4250	448.3750	443.3750
446.4750	441.4750	448.4250	443.4250
446.5250	441.5250	448.4750	443.4750
446.5750	441.5750	448.5250	443.5250
446.6250	441.6250	448.5750	443.5750
446.6750	441.6750	448.6250	443.6250
446.7250	441.7250	448.6750	443.6750
446.7750	441.7750	448.7250	443.7250
446.8250	441.8250	448.7750	443.7750
446.8750	441.8750	448.8250	443.8250
446.9250	441.9250	448.8750	443.8750
446.9750	441.9750	448.9250	443.9250
447.0250	442.0250	448.9750	443.9750
447.0750	442.0750	449.0250	444.0250
447.1250	442.1250	449.0750	444.0750
447.1750	442.1750	449.1250	444.1250
447.2250	442.2250	449.1750	444.1750
447.2750	442.2750	449.2250	444.2250
447.3250	442.3250	449.2750	444.2750
447.3750	442.3750	449.3250	444.3250
447.4250	442.4250	449.3750	444.3750
447.4750	442.4750	449.4250	444.4250
447.5250	442.5250	449.4750	444.4750
447.5750	442.5750	449.5250	444.5250
447.6250	442.6250	449.5750	444.5750
447.6750	442.6750	449.6250	444.6250
447.7250	442.7250	449.6750	444.6750
447.7750	442.7750	449.7250	444.7250
447.8250	442.8250	449.7750	444.7750
447.8750	442.8750	449.8250	444.8250
447.9250	442.9250	449.8750	444.8750
448.0250	443.0250	449.9250	444.9250
448.0750	443.0750	449.9750	444.9750

Digital Only Repeaters

10 - Repeater Pairs, 12.5 KHz spacing, 5 MHz split, Low Output, High Input

440.8125	445.8125	Digital only 12.5 KHz or less
440.8500	445.8500	Digital only 12.5 KHz or less
440.8625	445.8625	Digital only 12.5 KHz or less
440.9000	445.9000	Digital only 12.5 KHz or less
440.9125	445.9125	Digital only 12.5 KHz or less
440.9500	445.9500	Digital only 12.5 KHz or less
440.9625	445.9625	Digital only 12.5 KHz or less
441.2625	446.2625	Digital only 12.5 KHz or less
441.4500	446.4500	Digital only 12.5 KHz or less
441.4625	446.4625	Digital only 12.5 KHz or less

Digital Only Repeaters

12 - Repeater Pairs, 12.5 KHz spacing, 5 MHz split, High Output, Low Input

445.8375	440.8375	Digital only 12.5 KHz or less
445.8750	440.8750	Digital only 12.5 KHz or less
445.8875	440.8875	Digital only 12.5 KHz or less
445.9250	440.9250	Digital only 12.5 KHz or less
445.9750	440.9750	Digital only 12.5 KHz or less
445.9875	440.9875	Digital only 12.5 KHz or less
446.2750	441.2750	Digital only 12.5 KHz or less
446.4250	441.4250	Digital only 12.5 KHz or less
446.4375	441.4375	Digital only 12.5 KHz or less
446.4750	441.4750	Digital only 12.5 KHz or less
447.9750	442.9750	Digital only 12.5 KHz or less
447.9875	442.9875	Digital only 12.5 KHz or less

ARRL Suggested 25 KHz Packet Frequencies

431.0250
440.9750
441.0000
441.0500
441.0250
441.0750